



5
kWh/1000h

A+
energy class

72
lumens/watt





GU10 Start


LED Start GU10 5W(50) 827 35° TU 1/8
93067832

Product information

This new entry level range of highly competitive LED GU10 and R50 products consume only 3.5W and 5W respectively and offer a fantastic energy saving alternative to 50W and 35W Halogen GU10 lamps.

Application areas

-  Retail
-  Office
-  Hospitality
-  Home



Product data

Product Code	93067832
Bulb Shape	PAR
Bulb Finish	White
Bulb maximum overall diameter [mm]	50
Nominal Length [mm]	53
Net weight per piece [g]	29
RoHS compliant	Yes
Brand	Tungsräm
Cap/Base	GU10

Performance data

Nominal/ Rated Beam Angle [°]	35
Nominal center beam candlepower (CBCP) [cd]	700
Rated Lumens [lm]	345
Weighted energy consumption [kWh/1000h]	5.0
Useful lumens (at 90° cone) [lm]	345
Rated efficacy [lm/W]	69
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15 000
Nominal correlated colour temperature (CCT) [K]	2700
Nominal lumens [lm]	360
Colour Rendering Index (CRI) [Ra]	80


Electrical data

Nominal lamp power factor...	0.5
Rated power [W]	5.0
Number of switching cycles	50 000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240
Nominal power [W]	5.0

Logistic data

DUN Code	10064894585675
EAN Code	0064894585678
Pack Quantity	8
Inner pack type	Box
Product status	Available

Photometric Data



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Product datasheet \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Images \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

